



TABLE OF CONTENTS

Pedestals

- Single Neck Pedestals.....(p. 3-18)
- Dual Neck Pedestals.....(p.19-31)

Hoods

- Single Device Hoods.....(p.32-43)
- Multi Device Hoods.....(p.44-59)

Towers

- Streamlined Towers.....(p.60-72)
- Specialty Towers.....(p.73-94)

Kiosks.....(p.95-103)

Life Safety

- Audible / Visible Device
Guards.....(p.104-145)
- Sprinkler Head Guards.....(p.146-149)
- Fire Detection Guards.....(p.151-164)
- Pull Station Guards.....(p.165-172)
- Motion Sensor Guards.....(p.173-178)

Mass Notification

- Clock Guards.....(p.179-190)
- Paging Horn Guards.....(p.192-199)
- Exit Sign Guards.....(p.200-207)

Temperature Control.....(p.208-222)

Speakers

- Small Speaker Guards.....(p.223-239)
- Large Speaker Guards.....(p.240-261)

Projector Guards.....(p.262-266)

Camera Guards.....(p.267-274)

Light Guards.....(p.275-283)

Accessories

- Service Plates.....(p.284-300)

CPA 382

VEHICLE ACCESS PEDESTAL



DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 38" tall. 25° slope.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods are Available and Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 36122

VEHICLE ACCESS PEDESTAL



Devices shown are for display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 36" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 422

VEHICLE ACCESS PEDESTAL



Devices shown are for display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 42" high, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 48102

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 48122

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 482

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" tall, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 483T

PEDESTRIAN ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" tall, 3" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for pedestrian traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SLP 482

PEDESTRIAN ACCESS PEDESTAL



Devices shown are for display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" tall. 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for pedestrian traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CPWM 2718

WALL MOUNT ACCESS PEDESTAL



DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 27" tall x 18", 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.



Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CPT 4836122

ADJUSTABLE HEIGHT TELESCOPING PEDESTAL



DESCRIPTION


Our telescopic pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.



Devices shown are for display only

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Adjustable height: 36" - 48", 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.



Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 72122

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 72" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 72363

VEHICLE ACCESS PEDESTAL



DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 72" high, 36" extended neck, 3" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Devices shown are for
display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CPD 48122C

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Ornate support gusset below pedestal neck.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Includes removable base cover to conceal and protect bolts.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CPS 482

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 48" high, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CPS 48122

VEHICLE ACCESS PEDESTAL



Devices shown are for display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed
- Dimensions: 48" high, 10" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SLPS 482

VEHICLE ACCESS PEDESTAL



Devices shown are for
display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 48" high, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for vehicle traffic.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CP 48122x2

PEDESTRIAN ACCESS PEDESTAL



Devices shown are for display only

DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" high, 12" neck, 2" pipe.
- Mounted on a 10" x 10" (.312" thick) reinforced steel base.
- Comfortable access heights for pedestrian traffic.
- Supports multiple devices at single access height.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 4836122

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: Dual neck 36" (car/SUV) and 48" (truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 7236122x2

DUAL ACCESS HEIGHT VEHICLE PEDESTAL



Devices shown are for display only

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options
- Dimensions: Dual neck 36" (car/SUV) and 72" (truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 7236124

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: Dual neck 36" (car/SUV) and 72" (truck) high, 12" neck, 4" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.



Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 7242122

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options
- Dimensions: Dual neck 42" (car/SUV) and 72" (truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.



Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 724284

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



Devices shown are for display only

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: Dual neck 42" (car/SUV) and 72" (truck) high, 8" neck, 4" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 724284x2

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



Devices shown are for display only

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; multiple color options.
- Dimensions: Dual neck 42" (car/SUV) and 72" (truck) high, 8" neck, 4" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 7248122

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



Devices shown are for display only

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; multiple color options.
- Dimensions: Dual neck 48" (car/SUV) and 72" (truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 72483LC

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



With Illuminated Accent

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; multiple color options.
- Dimensions: Dual neck 48" (car/SUV) and 72" (truck) high, 3" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Includes base cover to conceal mounting bolts.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.



Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPDN 9248122

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



Devices shown are for display only

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: Dual neck 48" (car/SUV) and 92" (semi truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPSDN 7248122

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



Devices shown are for display only.

DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: Dual neck 48" (car/SUV) and 72" (truck) high, 12" neck, 2" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPSDN 8840123

DUAL ACCESS HEIGHT/VEHICLE PEDESTAL



DESCRIPTION

Chase pedestals provide protection and vehicle access to card readers, intercoms, and video in secured locations.

IMAGE
COMING
SOON

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed
- Dimensions: Dual neck 40" (car/SUV) and 88" (semi truck) high, 12" neck, 3" pipe.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Accommodates multiple vehicle heights on a single footprint.
- Customization available.

Devices shown are for
display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separately

Designing Products that Protect

CPY 482L

PEDESTRIAN ACCESS PEDESTAL

With Illuminated Accent



DESCRIPTION

Our custom pedestal is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" tall.
- Mounted on a 12" x 12" (.312" thick) reinforced steel base.
- Center post includes illuminated corona to enhance visibility.
- Comfortable access heights for pedestrian traffic.
- Customization available.



Devices shown are for display only

Hoods Sold Separately

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Hoods sold separate-

Designing Products that Protect

ly

HOD 6642

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 6" x 6" x 2" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 8853

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 8" x 8" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 8853

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 8" x 8" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 101053

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 10" x 10" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 101053

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 10" x 10" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 101253

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 10" x 12" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 101453

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 10" x 14" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 101253

SINGLE DEVICE HOOD



**IMAGE
COMING
SOON**

*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 10" x 12" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 141264

SINGLE DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 14" x 12" x 4" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 161653P

SINGLE DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 16" x 16" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 181853P

SINGLE DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 18" x 18" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 181853P

SINGLE DEVICE HOOD



For Long Range Card Reader



DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

*Devices not included

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed
- Dimensions: 18" x 18" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 14853

DUAL DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. dual device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 14" x 8" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 141053

DUAL DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. dual device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 14" x 10" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 141053

DUAL DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. dual device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 14" x 10" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 161053

MULTI DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 16" x 10" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 221064

DUAL DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. dual device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 22" x 10" x 4" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 271664

MULTI DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 27" x 16" x 4" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 161054

DUAL DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. dual device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 16" x 10" x 4" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 271864P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 27" x 18" x 4" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 271864P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge stainlesssteel.
- All welded for a solid construction.
- Finish: #4 brushed
- Dimensions: 27" x 18" x 4" deep.
- All device* preps included at no additional charge.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 221653P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 22" x 16" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 221853P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 22" x 18" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 241853P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 24" x 18" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HOD 271486

MULTI DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 27" x 14" x 6" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 181453

MULTI DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 18" x 14" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 221653P

MULTI DEVICE HOOD



For Long Range Card Reader



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. multi device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Includes built in plastic spacer.
- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 22" x 16" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HODS 62453

MULTI DEVICE HOOD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. single device custom hood is designed to house and protect a variety of access control equipment to suit your project's unique requirements.

Used in applications including but not limited to:

- Correctional
- Educational
- Commercial
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 6" x 24" x 3" deep.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 4835A

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom mini-tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" x 3" x 5" deep.
- Sloped surface enhances device accessibility at multiple heights.
- Side panel service plate removes for easy installation and servicing.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 4644

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 46" tall x 4" x 4" deep
- Removable rear service panels for easy installation.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 4866

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 48" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 5266

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powder coat finish; Multiple color options.
- Dimensions: 52" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 4835A

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom mini-tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 48" x 3" x 5" deep.
- Sloped surface enhances device accessibility at multiple heights.
- Side panel service plate removes for easy installation and servicing.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 4846A

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 48"x 4"x 6" deep.
- Sloped surface enhances device accessibility at multiple heights.
- Side panel service plate removes for easy installation and servicing.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 4866

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.



FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 48" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 5266

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 52" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 5466

MULTI DEVICE ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 54" tall x 6" x 6" deep.
- Removable rear service panels for easy Installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 5486

MULTI DEVICE ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 54" tall x 8" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 6066

MULTI DEVICE ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 60" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for both pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 6088

MULTI DEVICE ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 60" tall x 8" x 8" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 6288

MULTI DEVICE ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 62" tall x 8" x 8" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 4466LA

Pedestrian Access Control Tower

With Illuminated Accents



DESCRIPTION

Our custom mini-tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.



FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 44" tall x 6" x 6" deep.
- Illuminated accents enhance device visibility.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



Different accent
available colors



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTCP 5866XB

PEDESTRIAN ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 58" tall x 6" x 6" deep.
- 10" x 10" extended base plate.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 6086

MULTI DEVICE TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 60" tall x 8" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 6086XB

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 60" tall x 8" x 6" deep.
- 12" x 12" extended base plate.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 2493H

WALL MOUNT CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 24" tall x 9" x 3" deep.
- Hinged front service door for easy maintenance.
- Includes built-in shroud.
- Can be mounted at any desired height.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 6088H

MULTI DEVICE TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 60" tall x 8" x 8" deep.
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 9586XB

ACCESS CONTROL VEHICLE TOWER



*Devices not included

DESCRIPTION

Our custom vehicle tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 95" tall x 8" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for car and truck access.
- 14" x 12" extended base plate.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 5488H

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge Cold roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 54" tall x 8" x 8" deep.
- Removable rear service panels for easy Installation.
- Includes built-in shroud.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 5686H

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 56" tall x 8" x 6" deep.
- Includes built-in shroud.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 6566H

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.



FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 65" tall x 6" x 6" deep.
- Includes built-in shroud.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 62108P

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 62" tall x 10" x 8" deep.
- Includes built-in plastic spacer.
- Removable rear service panels for easy installation .
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 72128L

ACCESS CONTROL TOWER

With Illuminated Accents



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 72" tall x 12" x 8" deep.
- Removable rear service panels for easy installation.
- Built-in accent lights shine down to enhance device visibility.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CT 8033XB

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge cold-roll steel.
- All welded for a solid construction.
- Powdercoat finish; Multiple color options.
- Dimensions: 80" tall x 3" x 3" deep.
- 10" x 10" extended base plate.
- Removable rear service panels for easy installation.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 5266L

ACCESS CONTROL TOWER

With Illuminated Accents



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 52" tall x 6" x 6" deep.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.**

Designing Products that Protect

CTS 6086H

MULTI DEVICE TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 60" tall x 8" x 6" deep.
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 6093H

ACCESS CONTROL TOWER



DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 60" tall x 9" x 3" deep.
- Hinged front service door for easy maintenance.
- Includes built-in shroud.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 65108L

MULTI DEVICE TOWER

With Illuminated Accents



*Devices not included

DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 65" tall x 10" x 8" deep.
- Built-in accent lights shine down to enhance device visibility.
- Removable rear service panels for easy installation.
- Comfortable access heights for pedestrian and special needs traffic.
- All device preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 601213L

ACCESS CONTROL TOWER

With Illuminated Accents



*Devices not included

DESCRIPTION

Our custom tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 60" tall x 12" x 13" deep.
- Removable rear service panels for easy installation.
- Illuminated accents enhance device visibility.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 721416HL

ACCESS CONTROL VEHICLE TOWER

With Illuminated Accents



DESCRIPTION

Our custom vehicle tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 72" tall x 14" x 16" deep.
- Hinged front service door for easy maintenance.
- Includes built-in shroud.
- Built-in accent lights shine down to enhance device visibility.
- Comfortable access heights for car and suv access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 1181416HL

ACCESS CONTROL VEHICLE TOWER

With Illuminated Accents



DESCRIPTION

Our custom vehicle tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 118" tall x 14" x 16" deep.
- Hinged front service door for easy maintenance.
- Built-in accent lights shine down to enhance device visibility.
- Includes built-in shroud.
- Comfortable access heights for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTS 6714

ACCESS CONTROL VEHICLE TOWER



DESCRIPTION

Our custom vehicle tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 14-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 67" tall x 14" x 14" deep.
- Hinged front and rear service door for easy maintenance.
- Removable service panels for easy installation
- Comfortable access heights for car and truck access.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.**

Designing Products that Protect

CTS 10814

ACCESS CONTROL VEHICLE TOWER



DESCRIPTION

Our custom vehicle tower is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of quality 11-gauge 304 stainless steel.
- All welded for a solid construction.
- Finish: #4 brushed.
- Dimensions: 108" tall x 14" x 14" deep.
- Hinged front and rear service door for easy maintenance.
- Removable service panels for easy installation.
- Comfortable access heights for car and truck access.
- All device* preps included at no additional charge.
- Customization available.



*Devices not included



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 60146

PEDESTRIAN ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 60" tall x 14" x 6".
- Removable rear service panels for easy installation.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 62166HP

VEHICLE ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 62" tall x 16" x 6".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Includes built-in plastic spacer.
- Comfortable access height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 72148H

VEHICLE ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 11 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 72" tall x 14" x 8".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSKS 55134P

VEHICLE ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge 304 stainless steel.
- Welded at all sides for a solid construction.
- Finish: #4 brushed.
- Dimensions: 55" tall x 13" x 4".
- Removable rear service panels for easy installation.
- Includes built-in plastic spacer.
- Comfortable access height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 611717H

VEHICLE ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 61" tall x 17" x 17".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 701213LH

PEDESTRIAN ACCESS TOWER



With Illuminated Accents



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 70" tall x 12" x 13" deep.
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Illuminated accents enhance device visibility.
- Comfortable access heights for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 721010H

PEDESTRIAN ACCESS KIOSK



*Devices not included

DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 11 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 72" tall x 10" x 10".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable access height for pedestrian and special needs traffic.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 721717H

VEHICLE ACCESS KIOSK



DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 11 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 72" tall x 17" x 17".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Comfortable height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSK 56198LH

VEHICLE ACCESS KIOSK



With Illuminated Accents



*Devices not included

DESCRIPTION

Our custom kiosk is designed to house and protect a variety of access control devices. This is the ideal all in one solution to accommodate your project's unique needs.

FEATURES

- Constructed of 14 gauge cold-roll steel.
- Welded at all sides for a solid construction.
- Finish: Powdercoat; Multiple color options.
- Dimensions: 56" tall x 19" x 8".
- Removable rear service panels for easy installation.
- Includes built-in shroud.
- Built-in accent lights shine down to enhance device visibility.
- Comfortable height for car and truck access.
- All device* preps included at no additional charge.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 654R

HORN / STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire formed eyelets for solid installation.
- Dimensions: ID: 6.5" x 5.5" x 4" deep.
- Easy to install.
- Includes four conduit provisions on base ring.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 656R

HORN/STROBE GUARD



DESCRIPTION



Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire formed eyelets for solid installation.
- Dimensions: ID: 6.5" x 5.5" x 6" deep.
- Easy to install.
- Includes four conduit provisions on base ring.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 974N

HORN/STROBE GUARD




DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 977N

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 984R

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four red mounting clips for a solid installation.
- Dimensions: ID: 8.75" x 7.75" x 3.875" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 1-863W

SPEAKER/STROBE GUARD



DESCRIPTION



*Device not included

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with three white mounting clips for a solid installation.
- Dimensions: ID: 8" diameter x 2.25" deep.
- **Face opening clearance 2.9" x 2.7" x 1.125".**
- Easy to install.
- Chase custom designs and builds to your specifications.

**3X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 73W

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7.5" diameter x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 73R

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations.

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7.5" diameter x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 864W

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four mounting clips for solid installation.
- Dimensions: ID: 8.5" diameter x 3.4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 866W

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for solid installation.
- Dimensions: ID: 8.5" diameter x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWV 642W

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four mounting clips for solid installation.
- Dimensions: ID: 5.5" x 3.25" x 2.125" deep.
- **Face opening clearance: 3.3" x 2.3"**.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with motion sensors and push stations (refer to these sections of our website for additional details).

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSW 772W

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 2" deep.
- **Face opening clearance: 4.31" x 1.125".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSW 774W

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- **Face opening clearance: 4.31" x 1.125".**
- Easy to install.
- Includes two conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSW 774R

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- **Face opening clearance: 4.31" x 1.125".**
- Easy to install.
- Includes two conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CWG 774R

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CWG 774N

HORN/STROBE GUARD



DESCRIPTION



Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CWG 775N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7.5" x 7.5" x 5.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CWGP 1-776W


HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 6" deep.
- Easy to install.
- Includes one conduit provision on base ring.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CWGP 1-778W

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 8" deep.
- Easy to install.
- Includes one conduit provision on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 553W

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 5.25" x 5.25" x 3" deep.
- **Face opening clearance: 5.25" x 1.19".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 553R

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 5.25" x 5.25" x 3" deep.
- **Face opening clearance: 5.25" x 1.19".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 653N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- **Face opening clearance: 5" x 1.32".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 774R

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- **Face opening clearance: 7" x 1.32".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 2-775N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7.5" x 7.5" x 5.5" deep.
- **Face opening clearance: 7.5" x 1.19".**
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 1-776W

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 6" deep.
- **Face opening clearance: 7" x 1.32".**
- Easy to install.
- Includes one conduit provision on upper base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 974N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 7" x 1.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 974R

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 7" x 1.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

HSGW 977N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- **Face opening clearance: 7" x 1.82".**
- Easy to install.
- Includes two conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 1-776W

STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. strobe guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 6" deep.
- **Face opening clearance: 7" x 1.32".**
- Easy to install.
- Includes one conduit provision on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 1-778W

STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. strobe guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 8" deep.
- **Face opening clearance: 7" x 1.32".**
- Easy to install.
- Includes one conduit provision on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 653N

STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. strobe guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed eyelets for a solid installation.
- Stock finish: Nickel plated.
- Dimensions: I.D: 6" x 5" x 3" deep.
- **Face opening clearance: 6" x 1.32".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 774N

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 4" deep.
- **Face opening clearance: 7" x 1.32".**
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 864W

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for solid installation.
- Dimensions: ID: 7.5" diameter x 4" deep.
- **Face opening clearance 5.5" x 1.09".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 864R

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for solid installation.
- Dimensions: ID: 7.5" diameter x 5.5" x 4" deep.
- **Face opening clearance 5.5" x 1.09".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CBW 775N


STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. strobe guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of 11-gauge (.120 in diameter) steel wire with 7-gauge (.177) frame.
- Welded at all points for strength.
- Provided with four wire formed eyelets for installation.
- Stock finish: Nickel plated.
- Dimensions: I.D: 7" x 7" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 1285W

BELL/SPEAKER GUARD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. bell /speakers guards are designed to house and protect a variety of exit signs, outdoor lights and hallway lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating
- Dimensions I.D: 12" x 8" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 1287W

SPEAKER/STROBE GUARD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. speakers / strobe guards are designed to house and protect a variety of exit signs, outdoor lights and hallway lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed loops a solid installation.
- Finish: White polyester coating.
- Dimensions I.D: 12" x 8" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with wall light (refer to this section of our website for additional details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWS 4-863W

SPEAKER/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four mounting clips for solid installation.
- Dimensions: ID: 8.5" diameter x 2.25" deep.
- **Face opening clearance: 2.9" x 2.7 x 1.125".**
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 653N

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- **Face opening clearance: 2.4" x 2.85".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with pull station guards (refer to this section of our website for additional information).



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 653R

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- **Face opening clearance: 2.4" x 2.85".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with pull station guards (refer to this section of our website for additional information).



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 974N

HORN/STROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 3.82" x 3.8"**.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with pull stations (refer to this section of our website for additional details.)

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSG 653N

HORN/STROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. audible/visible device guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 635W

SPRINKLER HEAD GUARD



DESCRIPTION

Chase Security Systems, Inc. sprinkler head guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:



- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 5.75" diameter x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with smoke detectors (refer to this section of our website for additional information).



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 426W

SPRINKLER HEAD GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. sprinkler head guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating. Alternate color options for volume orders.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 4" diameter x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with heat probes (refer to this section of our website for additional information).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 428W

SPRINKLER HEAD GUARD



DESCRIPTION

Chase Security Systems, Inc. heat probe/sprinkler guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Finish: White polyester coating. Alternate color options for volume orders.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 4" diameter x 8" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with heat probes (refer to this section of our website for additional information).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 433W

SPRINKLER HEAD GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. sprinkler head guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 4" diameter x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 664W

SMOKE DETECTOR GUARD



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge expanded cold roll steel with 1" x 3/8" diamond openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: ID: 6" x 6" x 4" deep.
- **Frame opening clearance: 4" x 4".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 884W-X

SMOKE DETECTOR GUARD

With welded cross bars



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge expanded cold roll steel with 1" x 3/8" diamond openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: ID: 8.25" x 8.25" x 4" deep.
- **Frame opening clearance: 6.25" x 6.25".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 885W

SMOKE DETECTOR GUARD

For surface mount



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge expanded cold roll steel with 1" x 3/8" diamond openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: ID: 8.25" x 8.25" x 5" deep.
- **Frame opening clearance: 6.25" x 6.25"**.
- Easy to install.
- Customized conduit provisions for frame are available.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGP 884W

SMOKE DETECTOR GUARD

For flush mount



DESCRIPTION



Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

*Device not included

FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: ID: 8.25" x 8.25" x 4" deep.
- **Frame opening clearance: 6.25" x 6.25".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGP 885W

SMOKE DETECTOR GUARD

For surface mount



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: ID: 8.25" x 8.25" x 5" deep.
- **Frame opening clearance: 6.25" x 6.25".**
- Easy to install.
- Customized conduit provisions for frame are available.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGS 1195W

SMOKE DETECTOR GUARD



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered center.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: OD: 8.875" x 11.25" x 5.125" deep.
- **Frame opening clearance: 7.6" x 9.875".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 864W

SMOKE DETECTOR GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for solid installation.
- Dimensions: ID: 7.5" diameter x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSP 773W

HEAT DETECTOR GUARD



DESCRIPTION

Chase Security Systems, Inc. heat detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered center.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: OD: 7" x 7" x 3.625" deep.
- **Frame opening clearance: 5.4" x 5.4".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSP 884W

SMOKE DETECTOR GUARD

For flush mount



*Device not included

DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered center.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: OD: 8.25" x 8.25" x 4" deep.
- **Frame opening clearance: 6.25" x 6.25".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com


© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSP 885W

SMOKE DETECTOR GUARD

For surface mount



DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16 gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered center.
- Welded at all sides with reinforcement for a solid unit construction.
- Stock finish: White Powdercoat.
- Dimensions: OD: 8.25" x 8.25" x 5" deep.
- **Frame opening clearance: 6.25" x 6.25".**
- Easy to install.
- Customized conduit provisions for frame are available.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

MSGW 2-776W

SMOKE DETECTOR GUARD



*Device not included


DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 7" x 7" x 6" deep.
- Easy to install.
- Includes two conduit provisions on base ring.
- Chase custom designs and builds to your specifications.
- Also works with motion sensors (refer to this section of our website for additional details).



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 635W

SMOKE DETECTOR GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester coating.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 5.75" diameter x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with sprinkler head (refer to this section of our website for additional information).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 426W

HEAT PROBE GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. heat probe/sprinkler guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Finish: White polyester coating. Alternate color options for volume orders.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 4" diameter x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with sprinkler heads (refer to this section of our website for additional information).



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSSPW 428R

HEAT PROBE GUARD



DESCRIPTION

Chase Security Systems, Inc. heat probe/sprinkler guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Finish: Red polyester coating. Alternate color options for volume orders.
- Provided with three wire-formed eyelets for solid installation.
- Dimensions: ID: 4" diameter x 8" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with sprinkler heads (refer to this section of our website for additional information).



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 977N

BEAM SMOKE DETECTOR GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. beam smoke detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- **Face opening clearance: 5.8" x 3.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with motion sensors (refer to this section of our website for additional details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGH 652R

PULL STATION GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 12-gauge (.105 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire formed eyelets for solid installation.
- Dimensions: ID: 6.5" x 5" x 2.125" deep.
- Easy to install.
- Includes four conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 654R

PULL STATION GUARD



DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire formed eyelets for solid installation.
- Dimensions: ID: 6.5" x 5.5" x 4" deep.
- **Face opening clearance: 2.53" x 3.25"**
- Easy to install.
- Includes four conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 656R

PULL STATION GUARD



DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire formed eyelets for solid installation.
- Dimensions: ID: 6.5" x 5.5" x 6" deep.
- **Face opening clearance: 2.53" x 3.25"**
- Easy to install.
- Includes four conduit provisions on base ring.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 974N

PULL STATION GUARD



DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 3.82" x 3.8"**.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with horn/strobes (refer to this section of our website for additional information).



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 977N

PULL STATION GUARD



DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- **Face opening clearance: 3.82" x 3.8"**.
- Easy to install.
- Includes two conduit provisions on base ring.
- Chase custom designs and builds to your specifications.
- Also works with motion sensors (refer to this section of our website for additional information).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 653N


PULL STATION GUARD



DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- **Face opening clearance: 2.4" x 2.85".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with horn/strobes (refer to this section of our website for additional information).



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 653R

PULL STATION GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. pull station guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Red polyester coating.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 6" x 5" x 3" deep.
- **Face opening clearance: 2.4" x 2.85"**.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with horn/strobes (refer to this section of our website for additional information).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SGW 654R

PULL STATION GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. manual fire alarm guards are designed to house and protect a variety of pull stations commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two mounting clips for solid installation.
- Stock Finish: Red polyester.
- Dimensions I.D: 6.5" x 5.5" x 3.5" deep.
- **Face opening clearance: 3.125" x 5.875"**
- Easy to install.
- Chase custom designs and builds to your specifications.

**2X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGWV 642W

MOTION SENSOR GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. motion sensor guards are designed to house and protect a variety of monitoring appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: White polyester.
- Provided with four mounting clips for solid installation.
- Dimensions: ID: 5.5" x 3.25" x 2.125" deep.
- **Face opening clearance: 3.3" x 2.3"**.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with horn/strobes and push stations (refer to these sections of our website for additional details).

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 974N

MOTION SENSOR GUARD



DESCRIPTION

Chase Security Systems, Inc. motion sensor guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 5.8" x 3.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with thermostat (refer to this section of our website for additional details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 977N

MOTION SENSOR GUARD



DESCRIPTION

Chase Security Systems, Inc. motion sensor detector guards are designed to house and protect a variety of fire notification appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- **Face opening clearance: 5.8" x 3.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with fire detections (refer to this section of our website for additional details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

MSGW 2-776W


MOTION SENSOR GUARD



DESCRIPTION


Chase Security Systems, Inc. motion sensor guards are designed to house and protect a variety of monitoring appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed eyelets for a solid installation.
- Stock finish: White polyester coating.
- Dimensions: I.D. 7" x 7" x 7" deep.
- **Face opening clearance: 4.3" x 4.3".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with fire detection (refer to this section of our web-site for additional details).



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

MSGW 121212W

MOTION SENSOR GUARD



DESCRIPTION




Chase Security Systems, Inc. motion sensor guards are designed to house and protect a variety of monitoring appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating.
- Dimensions: I.D. 12" x 12" x 12" deep.
- **Face opening clearance: 5.8" x 5.8".**
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PSGW 977N

MOTION SENSOR GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. motion sensor guards are designed to house and protect a variety of monitoring appliances commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with two welded mounting plates for solid installation.
- Dimensions: ID: 9" x 7" x 7" deep.
- **Face opening clearance: 3.82" x 3.8".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with pull stations (refer to these sections to our website for addition details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSCG 45283


CLOCK GUARD



DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of digital clocks commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with removable mounting flanges.
- Finish: Powdercoat.
- Dimensions: I.D: 45" x 28" x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW CL 133W


CLOCK GUARD



DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of wall-mounted clocks, bells 12" or smaller commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed eyelets for solid installation.
- Finish: White polyester coating.
- Dimensions: I.D: 13" x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW CL 165Z

CLOCK GUARD




DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of wall-mounted clocks 15" or smaller commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed eyelets for solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 16.5" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW CL 183W


CLOCK GUARD



DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of wall-mounted clocks, bells 16" or smaller commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed eyelets for solid installation.
- Finish: White polyester coating.
- Dimensions: I.D: 18" x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18187N

CLOCK GUARD



DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded hinges and mounting plate for a solid installation.
- Stock finish: Nickel plated.
- Dimensions I.D: 18" x 18" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with emergency lights guards (refer to this section of our website for additional details.)



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 24187W

CLOCK/SPEAKER GUARD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. clock speaker guards are designed to house and protect a variety of clocks, clock-speaker assemblies and signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 7/8" welded flanges on 2 sides.
- Finish: White powdercoat.
- Dimensions I.D: 24" x 18" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSLED 3276

LED DISPLAY GUARD



DESCRIPTION

Chase Security Systems, Inc. LED guards are designed to house and protect a variety of LED displays and other devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 7/8" welded flanges on 2 sides.
- Finish: Powdercoat.
- Dimensions I.D: 32" x 7" x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSLED 3486

LED DISPLAY GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. LED guards are designed to house and protect a variety of LED displays and other devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 7/8" welded flanges on 2 sides.
- Finish: Powdercoat.
- Dimensions I.D: 34" x 8" x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSLED 4076

LED DISPLAY GUARD



DESCRIPTION

Chase Security Systems, Inc. LED guards are designed to house and protect a variety of LED displays and other devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 7/8" welded flanges on 2 sides.
- Finish: Powdercoat.
- Dimensions I.D: 40" x 7" x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

*Device not included



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSLED 5085

LED DISPLAY GUARD



DESCRIPTION

Chase Security Systems, Inc. LED guards are designed to house and protect a variety of LED displays and other devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

*Device not included

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 7/8" welded flanges on 2 sides.
- Finish: Powdercoat.
- Dimensions I.D: 50" x 8" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 1283W

CLOCK GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of digital clocks exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: White polyester coating.
- Dimensions I.D: 12" x 8" x 3" deep.
- **Face opening clearance: 9.81" x 2.8".**
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 9157N

CLOCK / EXIT SIGN GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. clock guards are designed to house and protect a variety of digital clocks exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions I.D: 9" x 15" x 6.25" deep.
- **Face opening clearance: 5.82" x 11.75"**
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSDE 161216W

PAGING HORN GUARD


Fits a variety of 15 and 30 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Contoured front compliments enclosed device.
- Provided with 7/8" welded flanges on 4 sides.
- Welded at all sides with reinforcement for a solid unit construction.
- Finish: White Powdercoat.
- Dimensions I.D: 16" x 12" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSDE 161616W

PAGING HORN GUARD


Fits Most 30 Watt Horns



DESCRIPTION


Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Contoured front compliments enclosed device.
- Provided with 7/8" welded flanges on 4 sides.
- Welded at all sides with reinforcement for a solid unit construction.
- Finish: White Powdercoat.
- Dimensions: I.D: 16" x 16" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 121212W

PAGING HORN GUARD

Fits Most 15 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: White Powdercoat.
- Dimensions: I.D: 12" x 12" x 12" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**


© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 141414W

PAGING HORN GUARD

Fits Most 15 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: White Powdercoat.
- Dimensions: I.D: 14" x 14" x 14" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com


© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 161616W

PAGING HORN GUARD

Fits Most 30 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: White Powdercoat
- Dimensions: I.D: 16" x 16" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect


CSGE 191414

PAGING HORN GUARD

Fits Most 30 Watt Horns



DESCRIPTION



*Device not included

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D. 19" x 14" x 14" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGE 4016

HORN CLUSTER GUARD



DESCRIPTION



Chase Security Systems, Inc. paging horn guards are designed to house and protect horn clusters commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

*Devices not included

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 40" x 40" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 161616S

PAGING HORN GUARD


Fits Most 30 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 16-gauge 304 stainless steel.
- Expanded metal with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: #4 Brushed.
- Dimensions: I.D. 16" x 16" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 121212N

PAGING HORN GUARD


Fits Most 15 Watt Horns



DESCRIPTION

Chase Security Systems, Inc. paging horn guards are designed to house and protect a variety of horns and speakers commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



*Device not included

• FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D. 12" x 12" x 12" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 1283W

EXIT SIGN GUARD



DESCRIPTION



Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of digital clocks exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: White polyester coating
- Dimensions I.D: 12" x 8" x 3" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 1586W


EXIT SIGN GUARD



DESCRIPTION

Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs, speakers, clocks and other devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



*Device not included

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: White polyester coating.
- Dimensions I.D: 14.75" x 7.75" x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 16106W

EXIT SIGN GUARD



DESCRIPTION



*Device not included

Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating
- Dimensions I.D: 16" x 9.5" x 6" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 16126W

EXIT SIGN GUARD



DESCRIPTION



Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating
- Dimensions I.D: 16" x 11.5" x 6.37" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 16147W

EXIT SIGN GUARD



DESCRIPTION

Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating
- Dimensions I.D: 16" x 13.5" x 7" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 16168W

EXIT SIGN GUARD



*Device not included

DESCRIPTION

Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four mounting clips for a solid installation.
- Finish: White polyester coating .
- Dimensions I.D: 16" x 16" x 7.5" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 9154N

EXIT SIGN GUARD



DESCRIPTION



Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of exit signs and low profile lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded hinges and a mounting plate for a solid installation
- Finish: Nickel plated.
- Dimensions I.D: 9" x 15" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 9157N

EXIT SIGN GUARD



DESCRIPTION

Chase Security Systems, Inc. exit sign guards are designed to house and protect a variety of digital clocks and exit signs commonly used in many applications including but not limited to:



- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions I.D: 9" x 15" x 6.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 552W

THERMOSTAT GUARD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations.

FEATURES

- Constructed of quality 7-gauge cold-roll steel.
- All welded for a solid construction.
- Stock finish: White polyester. Alternate color options for volume orders.
- Provided with mounting clips for a solid installation.
- Dimensions: ID: 5.25" x 5.25" x 1.5".
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGE 866W

THERMOSTAT GUARD



DESCRIPTION



Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll expanded steel with a diamond pattern of 1" x 3/8" openings.
- All welded for a solid construction.
- Stock finish: White Powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 8.25" x 6.25" x 6".
- **Frame opening clearance: 6.25" x 3.4.25" (ID).**
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGP 653W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 6.375" x 5.375" x 3.125" deep.
- **Frame opening clearance: 5" x 4" (ID).**
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGP 854W

THERMOSTAT GUARD



DESCRIPTION



Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 8.375" x 5.375" x 4.375".
- **Frame opening clearance: 6.375" x 3.375" (ID).**
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGS 853W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White Powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 8.375" x 5.375" x 2.5".
- **Frame opening clearance: 6.5" x 3.5" (ID).**
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTSW 553W


THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7-gauge cold-roll steel.
- All welded for a solid construction.
- Stock finish: White polyester. Alternate color options for volume orders.
- Provided with wire-formed loops for a solid installation.
- Dimensions: ID: 5.25" x 5.25" x 3".
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 653N

THERMOSTAT GUARD



DESCRIPTION


Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7-gauge cold-roll steel.
- All welded for a solid construction.
- Stock finish: Nickel plated. Alternate color options for volume orders.
- Dimensions: ID: 6" x 5" x 3".
- **Face opening clearance: 4.34" x 2.4" (ID).**
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 972N

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge cold-roll steel.
- All welded for a solid construction.
- Stock finish: Nickel plated. Alternate color options for volume orders.
- Dimensions: ID: 9" x 7" x 2".
- Provided with mounting clips for a solid installation.
- **Face opening clearance: 5.8" x 3.82" (ID).**
- Customization available.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CTWG 974N

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Stock finish: Nickel plated.
- Provided with four wire-formed eyelets for a solid installation.
- Dimensions: ID: 9" x 7" x 4" deep.
- **Face opening clearance: 5.8" x 3.82".**
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with motion sensor guards (refer to this section of our website for additional details).

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 1472W

MULTI THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders. .
- Dimensions: OD: 14.25" x 7.625" x 2.125" deep.
- **Frame opening clearance: 10.75" x 5.25" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 543W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 5.25" x 4.5" x 2.45".
- **Frame opening clearance: 3.75" x 2.25" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 653W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 6.25" x 5.5" x 3.125".
- **Frame opening clearance: 4" x 3" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 863W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Custom colors upon request.
- Dimensions: OD: 8.625" x 6.625" x 3.125".
- **Frame opening clearance: 6.12" x 4.2" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 983W

THERMOSTAT GUARD



DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

-
- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge cold-roll steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: White powdercoat. Alternate color options for volume orders.
- Dimensions: OD: 9.75" x 8.5" x 3.125".
- **Frame opening clearance: 7.625" X 6" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

PTG 1472S

MULTI THERMOSTAT GUARD




DESCRIPTION

Chase Security Systems, Inc. thermostat guards are designed to house and protect a variety of temperature control devices commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge 304 stainless steel.
- Perforated 3/16" diameter on 1/4" staggered centers.
- All welded for a solid construction.
- Stock finish: #4 brushed.
- Dimensions: OD: 14.25" x 7.625" x 2.125" deep.
- **Frame opening clearance: 10.75" x 5.25" (ID).**
- Hinged lockable tamper-proof design with removable key.
- Customization available.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 888

LOUDSPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 8" x 8" x 8" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 10104

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 10" x 10" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 10106

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 10" x 10" x 6" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 10108

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Finish: Powdercoat.
- Dimensions: OD: 10" x 10" x 8" deep.
- **Frame opening clearance: 8" x 8".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 10185X

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Steel crossbar welded for increased durability.
- Finish: Powdercoat.
- Dimensions: O.D: 18" x 10" x 5" deep.
- **Frame opening clearance: 16" x 8".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 12124

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 12" x 12" x 4" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 12125

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 12" x 12" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 12127

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Finish: Powdercoat.
- Dimensions: I.D: 12" x 12" x 7" deep.
- **Frame opening clearance: 10" x 10".**
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 122012

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 12" x 20" x 12" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 181216

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 18" x 12" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 1955

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 19" x 5" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 885W

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: White Powdercoat.
- Dimensions: I.D: 8" x 8" x 5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 12122N

SPEAKER GUARD



DESCRIPTION


Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 4 mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 12" x 12" x 1.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 12124N

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 4 mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 12" x 12" x 3.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**4X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 12126N

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 12" x 12" x 6.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 12129N

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 12" x 12" x 9.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 9159N

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:



- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded mounting hinges and a mounting plate for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 9" x 15" x 8.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 251816

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 25" x 18" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 251820

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 25" x 18" x 20" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 271824

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 27" x 18" x 24" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 301416

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 30" x 14" x 16" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGE 302020

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 30" x 20" x 20" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 30820

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 30" x 8" x 20" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com


© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 321020

COLUMN SPEAKER GUARD

2-piece design



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 32" x 10" x 20" deep.
- Two piece design allows for easier installation and servicing.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 724024

SPEAKER ARRAY GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect speakers array against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:



- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 72" x 40" x 24" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com


© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 601018

COLUMN SPEAKER GUARD

2-piece design



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1" by 3/8" openings.
- Welded at all sides with reinforcement for a solid unit construction.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: Powdercoat.
- Dimensions: I.D: 60" x 10" x 18" deep.
- Two piece design allows for easier installation and servicing.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 13136Z

SPEAKER GUARD



DESCRIPTION


Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 13.5" x 13.5" x 6.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 16134Z

SPEAKER GUARD



DESCRIPTION




Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 16" x 13" x 3.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 17148Z

SPEAKER GUARD



DESCRIPTION




Chase Security Systems, Inc. metal enclosures are designed to protect speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 16.75" x 13.5" x 7.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 181212N

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded mounting hinges and a mounting plate for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 12" x 12" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18122N

SPEAKER GUARD



DESCRIPTION


Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 12" x 1.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18124N

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 12" x 3.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18127N

SPEAKER GUARD



DESCRIPTION




Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 12" x 6.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18129N

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 12" x 9.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 181412Z

SPEAKER GUARD



DESCRIPTION


Chase Security Systems, Inc. metal enclosures are designed to protect speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 18" x 14" x 12" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 18182N

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 8 mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 18" x 2.25" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**8X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18184N

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with 8 mounting clips for a solid installation.
- Finish: Nickel plated.
- Dimensions: I.D: 18" x 18" x 4.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**8X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 19188Z

SPEAKER GUARD



DESCRIPTION



Chase Security Systems, Inc. metal enclosures are designed to protect speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 18.75" x 17.75" x 7.625" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 201812Z

SPEAKER GUARD



DESCRIPTION

Chase Security Systems, Inc. metal enclosures are designed to protect clocks, bells, speakers, and other devices against vandalism or accidental damage. Our guards are commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 12-gauge (.1040 in diameter) steel wire.
- Welded at all points for strength.
- Provided with six mounting clips for a solid installation.
- Finish: Zinc plated.
- Dimensions: I.D: 20.25" x 18.5" x 11.75" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

**6X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 221226

MOVIE PROJECTOR GUARD

Shelf Mount



DESCRIPTION

Our custom projector enclosure series is designed to protect projectors* and installed hardware from damage and tampering while allowing access for tasks such as routine servicing. Common applications include auditoriums, theaters, gymnasiums and viewing rooms. Our products are widely used in educational, correctional and mental health facilities.

FEATURES

- Constructed of quality 16 gauge expanded cold roll steel with 1" x 3/8" diamond pattern openings.
- Welded at all sides with reinforcement for a solid construction.
- Clear shatter resistant window protects lens without obscuring enclosed projector.
- Finish: Powdercoat (Multiple color options).
- Dimensions I.D: 22" x 12" x 26" deep.
- Unit can be provided with provisions for electrical conduit pipes of any size or orientation.
- Chase custom designs and builds to your specifications.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 241133

MOVIE PROJECTOR GUARD

Wall Mount



DESCRIPTION

Our custom projector enclosure series is designed to protect projectors* and installed hardware from damage and tampering while allowing access for tasks such as routine servicing.

Common applications include auditoriums, theaters, gymnasiums and viewing rooms. Our products are widely used in educational, correctional and mental health facilities.

FEATURES

- Constructed of quality 16 gauge cold roll steel with louvers.
- Welded at all sides with reinforcement for a solid construction.
- Clear shatter resistant window protects lens without obscuring enclosed projector.
- Hinged lockable side access door for servicing.
- Finish: Powdercoat (Multiple color options).
- Dimensions I.D: 24" x 11" x 33" deep.
- Unit can be provided with provisions for electrical conduit pipes of any size or orientation.
- Chase custom designs and builds to your specifications.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 262434

MOVIE PROJECTOR GUARD

Wall Mount



DESCRIPTION

Our custom projector enclosure series is designed to protect projectors* and installed hardware from damage and tampering while allowing access for tasks such as routine servicing.

Common applications include auditoriums, theaters, gymnasiums and viewing rooms. Our products are widely used in educational, correctional and mental health facilities.

FEATURES

- Constructed of quality 16 gauge cold roll steel with louvers
- Welded at all sides with reinforcement for a solid construction.
- Clear shatter resistant window protects lens without obscuring enclosed projector.
- Hinged lockable side access door for servicing.
- Finish: Powdercoat (Multiple color options).
- Dimensions I.D: 26" x 24" x 34" deep.
- Unit can be provided with provisions for electrical conduit pipes of any size or orientation.
- Chase custom designs and builds to your specifications.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 302023

MOVIE PROJECTOR GUARD

Wall Mount



DESCRIPTION

Our custom projector enclosure series is designed to protect projectors* and installed hardware from damage and tampering while allowing access for tasks such as routine servicing.

Common applications include auditoriums, theaters, gymnasiums and viewing rooms. Our products are widely used in educational, correctional and mental health facilities.

FEATURES

- Constructed of quality 16 gauge expanded cold roll steel with 1" x 3/8" diamond pattern openings.
- Welded at all sides with reinforcement for a solid construction.
- Clear shatter resistant window protects lens without obscuring enclosed projector.
- Finish: Powdercoat (Multiple color options).
- Dimensions I.D: 30" x 20" x 23" deep.
- Unit can be provided with provisions for electrical conduit pipes of any size or orientation.
- Chase custom designs and builds to your specifications.



*Devices not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGE 391632

MOVIE PROJECTOR GUARD

Ceiling Mount



*Devices not included

DESCRIPTION

Our custom projector enclosure series is designed to protect projectors* and installed hardware from damage and tampering while allowing access for tasks such as routine servicing.

Common applications include auditoriums, theaters, gymnasiums and viewing rooms. Our products are widely used in educational, correctional and mental health facilities.

FEATURES

- Constructed of quality 16 gauge cold roll steel with diamond pattern vents for air flow.
- Welded at all sides with reinforcement for a solid construction.
- Clear shatter resistant window protects lens without obscuring enclosed projector.
- Hinged lockable side access door for servicing.
- Finish: Powdercoat (Multiple color options).
- Dimensions I.D: 39" x 16" x 32" deep.
- Unit can be provided with provisions for electrical conduit pipes of any size or orientation.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 1-534B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for a solid installation.
- Stock Finish: Flat black polyester (non-reflective).
- Dimensions I.D. 4.75" (base ring diameter) x 3.375" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 1-635B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for a solid installation.
- Finish: Flat black powder coat (non-reflective)
- Dimensions I.D. 5.75" (base ring diameter) x 3.5" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.


Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 745B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for a solid installation.
- Finish: Flat black polyester (non-reflective)
- Dimensions I.D. 6.625" (base ring diameter) x 5.5" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 1-745B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for a solid installation.
- Finish: Flat black polyester (non-reflective)
- Dimensions I.D. 6.625" (base ring diameter) x 5.5" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 1-865B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 9-gauge (.148 in diameter) steel wire.
- Welded at all points for strength.
- Provided with mounting clips for a solid installation.
- Finish: Flat black powder coat (non-reflective)
- Dimensions I.D. 8.25" (base ring diameter) x 4.5" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 866B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for dome cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for a solid installation.
- Finish: Flat black powder coat (non-reflective)
- Dimensions I.D. 8" (base ring diameter) x 6" deep.
- Easy installation.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 977B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for low profile bullet cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded mounting plates for easy installation,
- Finish: Flat black (non-reflective)
- Dimensions 9" x 7" x 7" deep.
- Provided with one conduit knock-out

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CCG 1-776B

SECURITY CAMERA WIRE GUARD



DESCRIPTION

Chase Security Systems, Inc. wire enclosures provides safety for network cameras in areas where impact is likely to occur. Each unit is designed to provide optimal protection to the enclosed camera without obstruction to the view or functionality.

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire formed eyelets
- Finish: Flat black powder coat (non-reflective)
- Dimensions 7" x 7" x 6" deep.
- Easy installation.
- Provided with one conduit knock-out

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 481212B

CEILING LIGHT GUARD



DESCRIPTION


Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations



FEATURES

- Constructed of quality 7 gauge wire, 1.88" x 1.88" grid.
- Provided with 7/8 welded flanges on 2 sides.
- Finish: Black Powdercoat.
- Dimensions I.D. 48" x 12" x 12" deep.
- Easy to install.
- Multiple guards can be joined end to end to protect longer light fixtures.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.


Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com
© 2006 Chase Security Systems, Inc.**

Designing Products that Protect

CSGE 2665W

CEILING LIGHT GUARD



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of quality 16-gauge expanded steel with a diamond pattern of 1 13/16" by 11/16" openings.
- Provided with 7/8" welded flanges on 4 sides.
- Finish: White Powdercoat. Alternate color options for volume orders.
- Dimensions I.D. 26" x 6" x 5" deep.
- Easy to install.
- Unit can be provided with electrical provisions for conduit pipes of all sizes.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 24241W-4

CEILING LIGHT GUARD



COVERS 2' X 2' RECESSED LIGHTS IN
DROP CEILINGS.


The CSGW 24241W-4 comes with the Chase's own mounting clips which are uniquely designed to fit most light fixtures set in aluminum ceiling tile rails.

Chase original design



Patent Pending

Chase Original Design



Patent Pending

DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 11-gauge (.120 in diameter) steel wire with 9-gauge (.148) frame.
- Welded at all points for strength.
- Provided with four Chase steel mounting clips for a solid installation.
- Stock Finish: White polyester coating.
- Dimensions I.D: 23.75 x 23.75" x 1" deep.
- Easy to install and service.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 24241W-8

CEILING LIGHT GUARD



COVERS 2' X 2' RECESSED LIGHTS IN
DROP CEILINGS.

8X WRAPAROUND
MOUNTING CLIPS
INCLUDED.



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 11-gauge (.120 in diameter) steel wire with 9-gauge (.148) frame.
- Welded at all points for strength.
- Provided with eight mounting clips for a solid installation.
- Stock Finish: White polyester coating.
- Dimensions I.D: 23.75 x 23.75" x 1" deep.
- Easy to install and service.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078


www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

CSGW 48241W-4

CEILING LIGHT GUARD



**COVERS 4' X 2' RECESSED LIGHTS IN
DROP CEILINGS.**



The CSGW 48241 comes with the Chase's own mounting clips which are uniquely designed to fit most light fixtures set in aluminum ceiling tile rails.



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 11-gauge (.120 in diameter) steel wire with 9-gauge (.148) frame.
- Welded at all points for strength.
- Provided with four Chase steel mounting clips for a solid installation.
- Finish: White polyester coating.
- Dimensions I.D: 47.75" x 23.75" x 1" deep.
- Easy to install and service.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 48241W-8

CEILING LIGHT GUARD



COVERS 4' X 2' RECESSED LIGHTS IN
DROP CEILINGS.

**8X WRAPAROUND
MOUNTING CLIPS
INCLUDED.**



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 11-gauge (.120 in diameter) steel wire with 9-gauge (.148) frame.
- Welded at all points for strength.
- Provided with eight Chase steel mounting clips for a solid installation.
- Stack Finish: White polyester coating.
- Dimensions I.D. 47.75" x 23.75" x 1" deep.
- Easy to install and service.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 65B

CEILING LIGHT GUARD



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect strobes and ceiling lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 9-gauge (.162 in diameter) steel wire.
- Welded at all points for strength.
- Provided with three wire-formed eyelets for installation.
- Finish: Black Powdercoat. Alternate color options for volume orders.
- Dimensions I.D. 5" diameter x 6.5" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 1287W

WALL LIGHT GUARD



DESCRIPTION

Chase Security Systems, Inc. light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with four wire-formed loops a solid installation.
- Finish: White polyester coating.
- Dimensions I.D: 12" x 8" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with speaker/strobe guards (refer to these sections of our website for additional details.)



*Device not included

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078
www.chasesec.com**

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

CSGW 18187N

EMERGENCY LIGHT GUARD



*Devices not included

DESCRIPTION

Chase Security Systems, Inc. emergency light guards are designed to house and protect a variety track lighting and fluorescent lights commonly used in many applications including but not limited to:

- Correctional
- Educational
- Commercial
- Residential
- Industrial
- Medical
- Hospitality
- Recreational & Athletic locations

FEATURES

- Constructed of 7-gauge (.177 in diameter) steel wire.
- Welded at all points for strength.
- Provided with two welded hinges and mounting plate for a solid installation.
- Stock finish: Nickel plated.
- Dimensions I.D: 18" x 18" x 7" deep.
- Easy to install.
- Chase custom designs and builds to your specifications.
- Also works with clock guards (refer to this section of our website for additional details.)



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 77W

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 7.5" x 7.5".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- PSGW 653W
- SGW 653W
- HSGW 653W
- PSG 653W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 77R

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Red powdercoat.
- Dimensions: 7.5" x 7.5".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- PSGW 653R
- SGW 653R
- HSGW 653R
- PSG 653R



Shown with SGW 653R

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

SP 77N

SERVICE PLATE



DESCRIPTION



Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Nickel plated.
- Dimensions: 7.5" x 7.5".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- PSGW 653N
- SGW 653N
- HSGW 653N
- PSG 653N
- CTWG 653N

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 104W

SERVICE PLATE




DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 10" diameter wide.
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.



DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGWS 73W
- CSGW 864W
- SGW 864W



Shown with CSGWS 73W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 104R

SERVICE PLATE




DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Red powdercoat.
- Dimensions: 10" diameter wide.
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.



DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGWS 73R
- CSGW 864R
- SGW 864R



Shown with CSGWS 73R

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

SP 12W

SERVICE PLATE



DESCRIPTION



Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 12.5" diameter wide.
- Includes seven welded press nuts for 8-32 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGWS 863W
- CSGWS 4-863W
- CSGWS 864W
- CSGWS 866W



Shown with CSGWS 866W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 55W

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouse, gymnasiums above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 5.375" x 6"
- Includes four welded press nuts for 8-32 screws.
- Includes provision to install to most standard single and double gang electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGWV 642W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 65R

SERVICE PLATE




DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Red powdercoat.
- Dimensions: 6" x 7".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard single 2-gang electrical boxes.
- Chase custom designs and builds to your specifications.



DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- PSGH 652R



Shown with PSGH 652R

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 75B

SERVICE PLATE

For Biometrics / Card readers




DESCRIPTION

Chase Security Systems, Inc. SP 75 acrylic spacer has been designed as an accessory to aid the function of many short range card readers. These spacers can be installed between the reader and any metal surface to reduce signal feedback and allow a wider range of function.



FEATURES

- Constructed of black acrylic.
- Mounts to standard single gang prep.
- Dimensions: 7.5" x 3.25" x .125".
- Works with various card reader.
- Provides an ideal non-metallic mounting surface for better readability.
- Includes two pass through holes for 6-32 screws.
- Chase custom designs and builds to your specifications.



Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 7-50W

SERVICE PLATE




DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 7" diameter wide.
- Includes provision to install around 3/4" diameter pipes.
- Includes three welded press nuts for 1/4"-20 screws.
- Rivet allows bisected plate to open and close easily around pipe without having to remove installed sprinkler.
- Chase custom designs and builds to your specifications.



DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSSPW 433W
- CSSPW 426W



Shown with CSSPW 433W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 78W

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 7.375" x 6.875".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MOD- ELS:

- HSGW 553W
- CTSW 553W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

SP 86W

SERVICE PLATE



DESCRIPTION



Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 6" x 8".
- Includes provision to install to most standard MCW panel.
- Chase custom designs and builds to your specifications.

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**


www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 88W

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 8.4" x 8.4".
- Includes four slots for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGP 884W
- CSSP 884W
- CSGP 885W
- CSSP 885W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

SP 89R

SERVICE PLATE



DESCRIPTION



Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Red powdercoat.
- Dimensions: 9.25" x 8".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- | | |
|---------------|-------------|
| • CSSW 772R | MSGW 2-776R |
| • CSSW 774R | HSGW 1-776R |
| • CWG 774R | CWGP 1-778R |
| • CWGP 1-776R | SGW 1-778R |
| • SGW 1-776R | HSGW 1-778R |

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.


Designing Products that Protect

SP 89N

SERVICE PLATE



DESCRIPTION



Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: Nickel plated.
- Dimensions: 9.25" x 8".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications

DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CWG 774N
- SGW 774N
- HSGW 774N

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SP 89W

SERVICE PLATE



DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 9.25" x 8".
- Includes four welded press nuts for 1/4"-20 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications

DESIGNED FOR USE WITH CHASE WIRE GUARDS

MODELS:

- CSSW 772W
- CSSW 774W
- CWGP 1-776W
- SGW 1-776W
- HSGW 1-776W
- MSGW 2-776W
- CWGP 1-778W
- SGW 1-778W
- HSGW 1-778W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect

SPG 11W

SERVICE PLATE




DESCRIPTION

Chase Security Systems, Inc. service plates have been designed to fit a variety of applications in warehouses, gymnasiums, above ceilings, poles and special areas where a bridge is required for electrical box screws and for wire service.

FEATURES

- Constructed of quality 16 gauge steel.
- Creates a mounting surface where no walls or ceilings are present.
- Finish: White powdercoat.
- Dimensions: 10.75" diameter wide.
- Includes three slots for 10-32 screws.
- Installs to most standard 4" square electrical boxes.
- Chase custom designs and builds to your specifications.



DESIGNED FOR USE WITH CHASE WIRE GUARDS MODELS:

- CSGWS 1-863W



Shown with CSGWS 1-863W

Chase Security Systems, Inc. draws from over 40 years of experience selling to the Fire, Security, Computer, Sound, Food Processing, Communications and Telecommunications Industries.

Due to changes in industry, exact product dimensions and features may differ slightly from above.

**P.O. Box 30179, Chicago, IL 60630,
Phone 773.775.7148, Fax 773.594.0078**

www.chasesec.com

© 2006 Chase Security Systems, Inc.

Designing Products that Protect